




# SWIMTRAINER

*Perfect for a soothing water spa moment*

Powered by

**iGarden**





**MEXER**  
GENUINE POOL EXPERIENCE

## SWIMTRAINER Powered by iGarden

The **iGarden Swim Jet P Series** is an advanced counter-current system that transforms home pools into professional training or family fun zones. Powered by **Full-Inverter technology** and a **PMSM motor**, it delivers a powerful, smooth, and highly efficient water flow.

### Delivers Class-leading Water Flow



#### InverTurbo Tech

Delivers exceptional water flow of up to 240 m<sup>3</sup>/h, providing an intense and exhilarating wave experience.



#### Next-Gen PMSM Motor

With up to 1200W (1.6 HP) output for unmatched power



#### Patented Flow Channel

Engineered hydrodynamics deliver up to 1100 GPM

### Easy Setup's



#### Plug & Play

Experience effortless installation suitable for both DIY enthusiasts and professionals. A clean, reliable, and high-efficiency solution designed for immediate use.



#### Deck-Friendly Mount (Optional)

Preserve the structural integrity of your pool deck. All hardware secures directly into the mounting plate, ensuring the surrounding surface remains pristine and intact.

## INTUITIVE CONTROL



### Full Touchscreen Interface

Poolside Elegance with Intuitive Control



### Remote Control

Bluetooth remote for spontaneous enjoyment.



### Mobile App Control

Touch, tap, a complete touchscreen interface for poolside elegance.

## 5 SWIMMING TRAINING MODES

Mode	Beginner	Intermediate	Advanced	Endurance	Surfing
Inverter Speed	20%-35%	45%-70%	70%-85%	45%-65%	30%-100%
Water Flow Rate (m <sup>3</sup> /h)	48-84	108-168	168-204	108-156	72-240


\*The following water flow rate data is based on the P240 model as an example.

## JET

Model	Operating Voltage (V)	Max Flow Rate (m <sup>3</sup> /h)	Max Flow Speed (m/s)	Dimension	IP Rating	Operating Water Temp (°C)	Ambient Temp (°C)
P200	12	200	3.5	(L) 364mm (M) 356mm (H) 281mm	IP68	5-40	0-43
P240		240	4.2				

## CONTROLLER

Model	Power (KW)	Supply Voltage (V/Hz)	IP Rating	Dimension	External Control
P200	0.9	220-240V 50/60Hz	IP45	(L) 441.4mm (M) 245mm (H) 119.5mm	Remote/WIFI/ RS485
P240	1.25				





**MAXER**  
GENUINE POOL EXPERIENCE

**PT.PERSADA CAHAYA MULYA INDONESIA**

Office :  
Jl. Sultan Agung No.24 B, Setiabudi, Jakarta Selatan,  
Jakarta 12980

Phone : +62 21 83706355



Greenwich Business Park E17,  
Pagedangan, BSD City, Tangerang 15331

Sales & Service : 0818-9195-97  
[www.poolspalmartindonesia.com](http://www.poolspalmartindonesia.com)



Jl. Gatot Subroto Barat No. 451, Padangsambian Kaja,  
Kec. Denpasar Bar., Kota Denpasar, Bali 80117

Sales & Service : 0818-9395-97  
[www.poolspalmartbali.com](http://www.poolspalmartbali.com)

**iGarden**